EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	09/155644	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 15:10
L2	2	10/276991	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 16:07
L3	2	10/050948	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 16:07
S1	8	09/171526 or 10/276991 or 10/050948 or 09/155644	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 10:04
S2	8	S1 and capacit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 12:38
S3	8	09/171526 or 10/276991 or 10/050948 or 09/155644	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/22 12:39
S4	2	S3 and capacit$5 and (data near line$2) and (driv$3 near transistor$2) and detect$4 and current$2 and voltage$2 and correct$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 12:40
S5	2	S3 and capacit$5 and (scan$4 or data near line$2) and (driv$3 near transistor$2) and detect$4 and current$2 and voltage$2 and correct$4 and (pixel$2 near circuit$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 12:45
S6	2	S3 and capacit$5 and (scan$4 near line$2) and (data near line$2) and (driv$3 near transistor$2) and detect$4 and current$2 and voltage$2 and correct$4 and (pixel$2 near circuit$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 13:44

S7	0	S3 and capacit$5 and (scan$4 near line$2) and (data near line$2) and (driv$3 near transistor$2) and detect$4 and current$2 and voltage$2 and correct$4 and (pixel$2 near circuit$2) and (current near mirror$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 13:45
S8	0	S3 and capacit$5 and (scan$4 near line$2) and (data near line$2) and (driv$3 near transistor$2) and detect$4 and current$2 and voltage$2 and correct$4 and (pixel$2 near circuit$2) and (on near off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 13:45
S9	0	S3 and capacit$5 and (scan$4 near line$2) and (data near line$2) and (driv$3 near transistor$2) and detect$4 and current$2 and voltage$2 and correct$4 and (pixel$2 near circuit$2) and (on$1off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:57
S10	1	10/813273	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 15:40
S11	2	09/171526 and (feed$2 near line$1) same (driv$3 near (transistor or tft)) same current$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:45
S12	2	09/171526 and (driv$3 near (transistor or tft)) same capacit$5 same (charge$2 or voltage$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 16:37
S13	2	09/171526 and (driv$3 same detect$4 same (charge$2 or voltage$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 16:43

S14	2	09/171526 and (detect$4 same (charge$2 or voltage$2) same correct$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/23 09:59
S15	2	09/171526 and (detect$4 same (charge$2 or voltage$2) same correct$5 same current$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 16:44
S16	2	09/171526 and (feed$2 near line$1) same (driv$3) same current$2 same electric$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:48
S17	2	09/171526 and (feed$2 near line$1) same (driv$3) same current$2 same electric$5 same connect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:52
S18	2	09/171526 and (correct$4 same current$2 same voltage$2 same detect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:56
S19	2	09/171526 and (correct$4 same current$2 same voltage$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:11
S20	3626	pixel$2 and circuit$2 and line$2 and capacitor$2 and current$2 and (voltage$2 or charge$2 or power$2) and driv$4 and (transistor$2 or tft$2) and detect$3 and correct$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:14

S21	1925	(pixel$2 same circuit$2) and line$2 and capacitor$2 and current$2 and (voltage$2 or charge$2 or power$2) and (driv$4 same (transistor$2 or tft$2)) and detect$3 and correct$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:16
S22	1633	(pixel$2 same circuit$2) and line$2 and capacitor$2 and current$2 and (voltage$2 or charge$2 or power$2) and (driv$4 same (transistor$2 or tft$2)) and detect$3 and correct$3 and display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:17
S23	141	(pixel$2 same circuit$2) same line$2 same capacitor$2 same current$2 same (voltage$2 or charge$2 or power$2) same (driv$4 same (transistor$2 or tft$2)) and detect$3 and correct$3 and display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:30
S24	6	(pixel$2 same circuit$2) same line$2 same capacitor$2 same current$2 same (voltage$2 or charge$2 or power$2) same (driv$4 same (transistor$2 or tft$2)) same detect$3 same correct$3 and display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:21
S25	39	(pixel$2 same circuit$2) same line$2 same capacitor$2 same current$2 same (voltage$2 or charge$2 or power$2) same (driv$4 same (transistor$2 or tft$2)) same correct$3 and display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 18:21
S26	222	correct$4 same current$2 same voltage$2 same (absolute adj value$2) same detect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/23 10:00
S27	65	correct$4 same current$2 same voltage$2 same (absolute adj value$2) same detect$4 same driv$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/23 10:01

S28	10	correct$4 same current$2 same voltage$2 same (absolute adj value$2) same detect$4 same driv$4 and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/23 10:01
S29	0	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (absolute adj value$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 10:05
S30	0	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (voltage near detect$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 10:05
S31	1	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (voltage near3 detect$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 17:09
S32	0	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 17:10
S33	8	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (current$2 same (reverse$2 or change$2 or cop$4 or direction$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 17:11
S34	8	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (current$2 with (reverse$2 or change$2 or cop$4 or direction$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 20:46
S35	0	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (detect$4 with (transistor$2 or tft$2) same (gate$2 near voltage$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 21:03
S36	133	(detect$4 with (transistor$2 or tft$2) same (gate$2 near voltage$2)) and pixel$2 and display$2	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 20:49
S37	123	(detect$4 with (transistor$2 or tft$2) same (gate$2 near voltage$2)) and pixel$2 and display$2 and current	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 20:49
S38	69	(detect$4 with (transistor$2 or tft$2) same (gate$2 near voltage$2) same current) and pixel$2 and display$2	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/23 20:49

S39	21	(detect$4 with (transistor$2 or tft$2) same (gate$2 near voltage$2) same current) and pixel$2 and display$2 and (EL or electroluminescen$4 or (electro adj luminescen$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 10:14
S40	8	(09/171526 or 10/276991 or 10/050948 or 09/155644)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 10:11
S41	2	(09/171526 or 10/276991 or 10/050948 or 09/155644) and (detect$4 with (transistor$2 or tft$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 10:13
S42	589	(detect$4 with (transistor$2 or tft$2)) and (pixel$2 with circuit$2) and display$2 and (EL or electroluminescen$4 or (electro adj luminescen$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 10:15
S44	14	((detect$4 with (transistor$2 or tft$2)) same gate$2 same (voltage$2 or v$1) same current$2 same correct$4) and (pixel$2 with circuit$2) and display$2 and (EL or electroluminescen$4 or (electro adj luminescen$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 10:18
S45	84	((detect$4 with (transistor$2 or tft$2)) same gate$2 same (voltage$2 or v$1) same current$2) and (pixel$2 with circuit$2) and display$2 and (EL or electroluminescen$4 or (electro adj luminescen$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 14:54